

Industrial/Commercial Wastewater Discharge Information Form

Please return completed form to Parker Water & Sanitation District 18100 E. Woodman Drive Parker, CO 80134. For questions or comments, contact the PWSD Industrial Pretreatment Department by calling 303-841-4627 or faxing 303-841-8992.

Summary

Parker Water & Sanitation District (PWSD) would like to thank you in advance for completing this Industrial Pretreatment Information Form. All businesses that could potentially affect the process of the Parker Wastewater Treatment Facility must complete this form and return it to PWSD Industrial Pretreatment Department.

The PWSD Pretreatment Regulations apply to all non-domestic (non-residential) sources. Any business could potentially introduce pollutants into the Parker Wastewater Treatment Facility. These sources of "indirect discharge" are commonly referred to as industrial users (IUs). IUs can be as simple as an unmanned coin-operated car wash to a complex automobile manufacturer. The Industrial Pretreatment Program's goal is to prevent the discharge of pollutants, which could interfere with the operation of the wastewater treatment plant or its disposal of municipal biosolids. The Pretreatment Program attempts to prevent the introduction of pollutants into PWSD treatment plants that may pass through (the biological process) into rivers, creeks, and streams causing toxicity or other impacts on the environment. These regulations describe the responsibility of the EPA, states, POTWs (Publicly Owned Treatment Works), and industrial users in protecting the POTWs, sewer systems, biosolids, receiving waters, and worker health and safety.

PWSD Industrial Pretreatment Department is asking you to complete this form so the risk from your business, as well as other businesses located around you, can be accurately assessed in an emergency, it also provides essential information regarding what you have stored onsite and who can be contacted under such circumstances.

Important Note to Signing Official

In accordance with Title 40 of the Code of Federal Regulations Part 403 Section 403.14, effluent data provided in this Questionnaire shall be available to the public without restriction. Any other information provided may be claimed as confidential by the submitter. Such claim must be asserted at the time of submission by stamping the words "Confidential Business Information" on, or similarly identifying the information claimed as confidential. Requests for confidential treatment of information shall be governed by procedures specified in 40 CFR Part 2.

If there is any concern please contact PWSD's Industrial Pretreatment Department at 720-842-4248, or email Collections and Pretreatment Coordinator Nancie Hinline at nhinline@pwsd.org.

This form is to help Parker Water & Sanitation District adequately treat wastewater from the commercial and industrial customers. PWSD must comply with sewer treatment standards imposed upon PWSD by the Environmental Protection Agency (EPA), Colorado Department of Public Health and Environment (CDPHE), and other state and federal regulatory agencies. It is PWSD's intent to see that all businesses work cooperatively with PWSD to come into compliance with Parker Water & Sanitation District Rules and Regulations. This information could be used to determine if your business will require an Industrial Waste Permit.

Any questions regarding this form should be directed to Collections and Pretreatment Coordinator Nancie Hinline at 720-842-4248 or nhinline@pwsd.org. We are dedicated to providing excellent service to our customers and will answer any questions you might have.

**Please complete and return this form within 14 days to:
Parker Water & Sanitation District 18100 E. Woodman Drive Parker, CO 80134.**

I. General Information

Company Name:

Business Address:

Business Phone Number:

Corporation Name:

Corporation Address:

Person Responsible for Discharge:

Responsible Party Phone Number:

Emergency Contact Name:

Emergency Contact Title:

Emergency Contact Day Phone:

Emergency Contact Night Phone:

Standard Industrial Classification Code:

EPA Categorical Standard 40 CFR:

Please describe in detail services or products manufactured at this location:

Average Number of Employees (Annually):

Work or Production Schedule at this Location:

Average Days Per Week of Operation:

Number of Floor Drains:

Check any activity that applies:

- | | | |
|------------------------|----------------------|-------------------|
| Electroplating | Painting | Laundry |
| Food Preparation | Laboratory | Printing |
| Medical/Dental | Paint/Ink | Research |
| Photographic Finishing | Plastic Processing | Rubber Processing |
| Warehousing | Machine Shop | Auto Shop/Garage |
| Steam/Power Generation | Flammable/Explosives | |

II. Businesses that Generate Process Wastewaters

Is this a business required to report discharges to the EPA under the General Pretreatment Regulations (40 CFR 403)? Check one: Yes No

Types of waste discharged to Parker Water & Sanitation District sanitary sewer system. Check all that apply:

- Sanitary waste from bathrooms
- Cleanup waste from floor drains
- Kitchen waste
- Wastewater from manufacturing process(es)
- Wastewater from laundry equipment or car wash

Wastewater from dry cleaning equipment

Wastewater from paint booth(s)

Wastewater from parts cleaning or preparation

Cooling water discharge

Other (describe):

Water usage at this location:

Thousands of gallons per month **or**

Gallons per invoice (from water bill)

Gallons per day

Major process discharges:

Batch: Number of discharges per month:

Average quantity per batch:

Days of week discharge occurs:

Monday	Thursday	Sunday
Tuesday	Friday	
Wednesday	Saturday	

Describe average batch contents:

Continuous: Average daily discharge:

Per hour flow:

Days of week discharge occurs:

Monday	Thursday	Sunday
Tuesday	Friday	
Wednesday	Saturday	

Describe average continuous contents:

Type of waste:

Acid/Alkalis	Rinse Waters	Petroleum Products
Oil/Grease	Heavy Metal Sludge	Inks/Dyes
Paints	Organic Compounds	Disinfectants
Solvents/Thinners	Plating Wastes	Other (describe):

III. Chemical Storage

Are bulk chemicals received and stored for use at this location?

Check one: Yes No

If yes, please list chemicals used or stored and approximate quantity that will be kept on hand.

Please list all chemicals that are known to be discharged or suspected to be discharged into the sewer system through batch, continuous, or drain. The information on the discharge of specific chemicals may be obtained from the MSDS sheets from commercial products used. Please feel free to attach MSDS sheets as needed. Chemicals include (but not limited to) solvents, detergents, and any other chemicals on site that may be used for operation or process of the company.

For all chemicals listed above that are discharged or suspected to be discharged, please fill out the following (attach a separate sheet if needed):

Chemical Identification	Annual Usage	Estimated Loss to Sewer

Please list below all chemicals used in production and stored on site, which meet or exceed the following:

- A—Dry powders or granules > 5 pounds
- B—Liquids > 5 gallons

Common Name	Technical Name	Manufacturer

Has a Spill Prevention or Countermeasure Plan been prepared for this facility?

Yes (Please attach a copy)

No (If chemicals are stored on site provide a drawing of plant layout showing chemical storage areas, chemicals being stored, location of floor drains in these areas, and any primary or secondary containment structures)

IV. Businesses that Require Pretreatment

Is any treatment given to the wastewater before it is discharged into the sewer? Check the applicable box below.

- | | | |
|---------------|--------------|----------------------|
| None | Screening | pH Adjustment Grease |
| Sand and Oil | Holding Tank | Interceptor |
| Sedimentation | Grinding | Other (describe) |

For all businesses using a treatment method checked above (Grease, Oil, Silver, etc. anything that is transported for disposal or recycle, may be multiple companies), complete this information:

What is hauled?

Hauler Name:

Hauler address:

Hauler Phone:

Sand/Oil interceptors as well as Grease interceptors are required to be hauled and cleaned a minimum of once every three months. All commercial and industrial customers are subject to random and scheduled inspection by the District. Hauling manifests should be maintained and copies sent to Parker Water & Sanitation District, 18100 E Woodman Drive, Parker, CO 80134.

Important note: It is stated in Parker Water & Sanitation District Rules and Regulations section 2.8.5D "The use of hot water, enzymes, bacteria, chemicals, emulsifiers, or other agents or devices used to cause oil and grease to be discharged from a grease interceptor is PROHIBITED. Any product which is designed to change the nature of the contents of a grease interceptor is prohibited unless specifically approved by the District."

Certification

I certify under penalty of law that this document and all its attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information. The information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

Important Note to Signing Official

In accordance with Title 40 of the Code of Federal Regulations Part 403 Section 403.14, effluent data provided in this Questionnaire shall be available to the public without restriction. Any other information provided may be claimed as confidential by the submitter. Such claim must be asserted at the time of submission by stamping the words "Confidential Business Information" on, or similarly identifying the information claimed as confidential. Requests for confidential treatment of information shall be governed by procedures specified in 40 CFR Part 2.

I am aware that there are significant penalties for submitting false information.

Print Name:

Title:

Date:

Signature: